



1

1.1

1.1.1

“ ”

Email				
1				
2		100V-240V		
3				

1.1.2

1.1.3

1.1.4

1.1.5

1.1.6

2

2.1

2.1.1

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

2.1.2

- 1.


22 i . 2 . .

2.2



	consol e	consol e
	SecureCRT	
	TFTP	
	Sni ffer	
	Ul traEdi t	
	RGOS	

3.1

3.1.1



3.1.2



3.

4.

5.

6.

7.

8.

9.

1.



2.

3.

4.

value value ip

5.

6.

7.

8.

9.

10.

1.

2.




3.

4.


3.1.4

3.1.5



cir 1000



cir






 进入配置页面













- 用户管理
- 系统高级选项
- 流量管理
- 系统帮助
- 返回NPE引导页






- 流量管理
- 系统帮助
- 返回NPE引导页





3.1.6

- 1.
- 2.
- 3.







NPE WEB 管理界面

系统帮助 当前会话分析: G00

#	IP地址	当前会话总数	操作
1	192.168.80.221	1835	删除
2	192.168.80.221	1835	删除
3	192.168.80.221	1835	删除
4	192.168.80.221	1835	删除
5	192.168.80.221	1835	删除
6	192.168.80.221	1835	删除
7	192.168.80.221	1835	删除
8	192.168.80.221	1835	删除
9	192.168.80.221	1835	删除
10	192.168.80.221	1835	删除

首页 1 2 3 4 5 尾页 1/343页 共3429条

NPE WEB 管理界面

系统帮助 当前会话分析: G00

系统帮助

返回NPE引导页

#	IP地址	当前会话总数	操作
1	192.168.80.221	1835	删除
2	192.168.80.221	1835	删除
3	192.168.80.221	1835	删除
4	192.168.80.221	1835	删除
5	192.168.80.221	1835	删除
6	192.168.80.221	1835	删除
7	192.168.80.221	1835	删除
8	192.168.80.221	1835	删除
9	192.168.80.221	1835	删除
10	192.168.80.221	1835	删除

首页 1 2 3 4 5 尾页 1/343页 共3429条



4

4.1

4.1.1 snmp

4.1.2 ospf

4.1.3

5

5.1

-

()