

NPE5050 telnet

2010-08-28

2010-08-28	


NPE50

.



无法 ， 用户上网访问业务慢

## 故障现场



```
interface gigabitEthernet 0/0
```

```
description Connect_to_WangTong --
```

```
interface gigabitEthernet 0/1
```

```
description Connect_to_Ntd1000_LAN3 -- NTD
```


```
!
```


```
interface gigabitEthernet 0/2
```

```
description Connect_to_Rg8606_1/12-YangPu-OUTPUT  
!  
interface gigabitEthernet 1/0
```

```
description UL-Jiao Yu  
!  
interface gigabitEthernet 1/1
```


```
description Connect_to_RG8606-G1/5-XiaoBenBu-OUTPUT
```





10.3 4 Release 52974

cpu 90% telnet



## 现场检查

CPU CPU 90%  
Show arp

CPU telnet  
NFPP




```

22  0%  0%  0%  Tnet
23  0%  0%  0%  Tnet
24  0%  0%  0%  Tnet
25  0%  0%  0%  Tnet
26  0%  0%  0%  Ttcptimer
27  0%  0%  0%  ip6_tunnel_rcv_pkt
28  0%  0%  0%  ipmrfd
29  0%  0%  0%  tRefRes
30  0%  0%  0%  imid
31  0%  0%  0%  nsmd
32  0%  0%  0%  ripd
33  0%  0%  0%  ospfd
34  0%  0%  0%  bgpd
35  0%  0%  0%  pimd
36  0%  0%  0%  pdmd
37  0%  0%  0%  vaccess
38  0%  0%  0%  PPTP
39  0%  0%  0%  L2TPD
40  0%  0%  0%  L2TP_T
41  0%  0%  0%  vty_connect

```

Tnet	CPU	1	79%	1	71%	5	68%
Tnet		CPU			CPU		CPU
	CPU						
				NFPP		CPU	CPU
		CPU		telnet			






show arp  
NPE

arp

CPU

<Incomplete>









执行


NFPP


show interface











nat

cpu

CPU

nat

telnet

