

1

1.1

1.1.1

“ ”

1.1.2

1.1.3

1.1.4

1.1.5

1.1.6

2.1

2.1.1

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

2.1.2


- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

2.2



	consol e	consol e
	SecureCRT	
	TFTP	
	Sni ffer	
	Ul traEdi t	
	RGOS	

3.1

3.1.1



3.1.2



3.

4.

5.

6.

7.

8.

9.

1.



2.

3.

2.




3.

4.


3.1.4

3.1.5





cir 10000



cir




 进入配置页面














3.1.6

- 1.
- 2.
- 3.



当前用户流量 下行TOP5



排名	用户	上行流量(kbps)	下行流量(kbps)	操作
1	125.221.110.203	148	699	详细 阻断
2	113.130.13.92	110	110	详细 阻断
3	98.69.23.102	820	50	详细 阻断
4	59.69.1.189	4344	92	详细 阻断
5	125.221.110.152	2679	35	详细 阻断

流量管理

系统帮助

返回NPE引导页

The figure displays a network management interface with multiple panels. The top panel shows traffic management with various graphs and data points. Below it, there are sections for system help and navigation. The interface includes several buttons and dropdown menus, such as '流量管理', '系统帮助', and '返回NPE引导页'. There are also numerical indicators for traffic volume and status.





4

4.1

4.1.1 snmp

5

5.1

-

()

()