

RG-S1924GT






3.3	9
3.4	9
3.5	PC IP	10
3.6	SFP	11
3.7	11
3.7.1	11
4	13
5	14



V1.00

<http://www.i-net.com.cn>

<http://www.ruijie.com.cn>



service@star-net.cn

z


z

z

0591-83057001 0591-83057002

z

0591-83057315



1

RG-S1924GT

20 1000BASE-T

4

Combo


48Gigabits

1.1

z Web
z QoS VLAN Trunk
z /
z
z /
z -
z LED
z 19
19

1.2 RJ-45





—

—

2.5

—

—

2.6

2.6.1

—






2.6.5

2.7 EMI

2.8



3

3.1

z RG-S1924GT

z 4

z

z

z

z

z

z


z


CD



3.2

IP





SYSTEM-Password APPLY

3.3

z

z

z

z

z

z

5

3.4

1

4


2

Power

:

3

PC




		PC	5	5e	
UTP	STP				100
RS-S1924GT			24	PC	
MDI/MDIX				PC	



3.6

SFP



3-6

SFP

SFP

1

SFP

2

SFP



3-1		
9		PC 9 DTE
2 RXD()	2	3 TXD()
3 TXD()	3	2 RXD()
5 SGND		5 SGND

Z 9600bps
Z 8
Z
Z
Z 8
Z

4

1

Power

z

z

z

2

LED

z

z

z

5

100

z

z

RG-S1924GT	
	440 43 171.20 mm

