RG-DBS

V3.0.2

©2008

锐捷® Red-Giant® [redacted]

Arial

[ ] [ ]

{ x | y | ... }

[x | y | ...]

//

1.

2.

3.

Enter a

a

“ → ”

→

1+ 2 Ctrl+Alt+A “ Ctrl ” “ Alt ” “ A ”

1 2 Alt F Alt

F

2 ip

IP IP ETH1

ETH0 IP ETH1 IP 172.16.0.254

255.255.0.0

IP IP ETH1 IP

IP windows xp



putty.exe ssh IP

system system

```
        Welcome to DB Audit System Configuration Interface.
        Plese input help to list all support commands.
Command>
```

help network

IP “ 2.1 network”

3

IE (IE7 IE6) http:// IP

IP IP http://192.168.1.254

IP 192.168.1.254

255.255.255.0

192.168.1.1

IP 172.16.0.254

255.255.0.0

4



4.1

sysadmin “ -> ”



4.1.1

“ ” “ ” حي L ،

“ ” “ ”

.ò ÚÑ ò

4.1.3

“ ” “ ”

%

80% **50-89%**

%

90% **50-98%**

“ ”



80% test@abc.com

90%

4.1.4

授权预

100 天提示

test@abc.com

4.2

“ ” Ü

INSERT SELECT UPDATE

“ ” “ ”

4.3

IP 192.168.0.100 80 WEB



IP

IP URL



WEB



4.4 IP

“ ”

“ ”

“ ”

“ ” “

”

“ ” “ ”

“ ”

“ ” “ ”

4.5 SMP

sysadmin >

SMP

IP SMP IP

5 5

“


策略设置
策略名称
策略状态
开启
策略描述
事件类型
请选择...
风险级别
无
低
中
高
时间规则
来源设置
任意
自定来源
请选择...
所选来源外
配置
任意
自定时间
请选择...
所选时间外
配置
策略应用于
bhv
动作规则
任意
自定
操作结果
耗时超过
毫秒
影响行数超过
行
异常串
内容规则
请选择...
db2
info
保存
取消
全部重置

“ ”

来源设置
任意
自定来源
请选择...
所选来源外
配置

1. “ ”

2. “ ” “ ” “ ”

3. “ ”

“ ” “ ” “ ” “ ” SQL

“ ”


策略应用于
db2-0.106
请选择...
数据库服务器组
资产组
未知资产组
请选择...

1. “ ” 4.2

2. “ ” “ ”

5.3

3. “ ”“ ”“ ”

快速查询
请输入策略名称...
共6条
启用 2011-07-12 15:44:16 编辑 DB2
启用 2011-07-18 15:10:27 编辑 SSQLSV
启用 2011-07-18 13:05:09 编辑 oracle-test
新建策略
启用
停用
删除

“ ”

注销
同步
关闭
上一页
下一页

“ ” “ ”

5.3

“ ”

“ ” “ ”

“ 5 ”

“ FAQ ”