



MP-71

©2008





-
-
-



Arial

[] []

{ x | y | ... }

[x | y | ...]

//


1.



2.



3.



Enter a

a

“ → ”

→

1+ 2
“ Alt ” “ A ”

Ctrl+Alt+A “ Ctrl ”

1 2 Alt F Alt
F

1		2
1.1		2
1.2	MP-71	3
1.3	MP-71	3
2		5
2.1	MP-71	5
2.2	MP-71	5
2.3	MP-71	6
3		8
3.1		8
3.2		8
3.2.1	MP-71	8
3.2.2	MP-71	8

1

1.1

>

RingMaster >

4 4

山

MX

4 MP

WLAN 山

Mobility Point (MP) >


(RF) 4 MX

山>


Mobility System Softwar (MSS)>

4 Web WLAN RingMaster MX 山 MP

- IEEE 802.3af (PoE)



MP-71 LED



	802.11b/g		
		LAN	
	/	/	N/A

2.3 MP-71

MP-71




	5V 42A DC ()> (802.3af)
	0 ~ 50 ~ -25 ~ 70 ~
	10 90
	802.11g OFDM 802.11b CCK
	802.11b/g
	802.11b/g: 2.4 GHz 2.4835 GHz >
	100-240 VAC 47-63 Hz 1.5 A 48 VDC 1.2 A
	190mm×146mm×29mm § §
	1kg
	IEEE 802.3 10BASE-T IEEE 802.3u 100BASE-TX > IEEE 802.11b IEEE 802.11g

>



3

3.1



3.2

3.2.1 MP-71

1. MP-71 W
2. W

3.2.2 MP-71

- 1.