



RG-WALL 1600-M5100

V1.4

©2013

1



Ruijie

RGOS®

RGNOS®

7 × 24

<http://www.ruijie.com.cn/>
<http://webchat.ruijie.com.cn>
<http://www.ruijie.com.cn/service.aspx>
<http://support.ruijie.com.cn>
service@ruijie.com.cn

4008-111-000

1

RG-WALL 1600-M5100

IPSec SSL VPN Web

IPv4 IPv6 NAC SSL

RG-WALL 1600-M5100

RG-WALL 1600-M5100

1.1 RG-WALL 1600-M5100

	RG-WALL 1600-M5100

1-1 RG-WALL 1600-M5100


RG-WALL 1600-M5100

1-2

1~7

1-2 RG-WALL 1600-M5100

#			
1	USB MGMT	USB-B	USB
2	MGMT	RJ-45	PC MGMT 1Web UI




1~10

“ 3.8

”

2.1.5

RG-WALL 1600-M5100



2.2.3

RG-WALL 1600-M5100

RG-WALL 1600-M5100

0°C-40°C	20%-90%

1.5M

0.4M

2.2.4

2.2.7 EMI

2.3

2.4


RG-WALL 1600-M5100

2.5

	2	2	USB SFP	2	Console	8	4
--	---	---	------------	---	---------	---	---

3

3.1



3.2

3.3

5mm

1.5cm

- 1)
- 2)
- 3)
- 4)

1RU=44.45mm(1.75inch) IEC60297 19 1RU 3-1

RU Rack Unit


WALL 1600-M5100

RU

U

RG-

3-1



RG-WALL 1600-M5100		
RG-WALL 1600-M5100		RG-WALL 1600-M5100

3.4

RG-WALL 1600-M5100

10mm

- 1) RG-WALL 1600-M5100
- 2) RG-WALL 1600-M5100
- 3) RG-WALL 1600-M5100 RG-WALL 1600-M5100

3.5

16A

- 1)
- 2)

3	1.5	14AWG
---	-----	-------

3.6

- 1.
- 2. SFP
- 3. SFP
SFP

3-7


- 4.
- 5.



< >

4-4

4-3



< >

4-5

9600

8

1


4-4




3)

< >

4-6




PC		Console		Console	
USB	PC	SecureCRT			
USB	Console	USB	Console	Console	USB
PC	6	0	" "	" "	COM LPT
4-7					COM



9600 8 1

- 1) File Connect Connect -new session -
- Serial 4-8



4-8


- 2) 6 0 4-9

4-10

4)

< >

4-11



4-11

4.2

PC


5

5.1

RG-WALL 1600-M5100

6

6.1



6.2

1

2

Status Power

A

A 4




B

RG-WALL 1600-M5100


19

D-2



D-3

D-3



220V -48V

D-4

D-4

