



WEB

RG-S5750-28GT-S

RGOS 10.4(2b12)

V .



RGOS®

RGNOS®



锐捷®

■

■

“ ”

■

■

×

■

■

前言

-
-
-

1.

```
[ ] [ ]  
{ x | y | ... }  
[ x | y | ... ]  
//
```

2.



3.

■

■

■



交换机

1 WEB

2 WEB

2.1

2.1.1

-
-
-

2.1.2

-
-
-

2.2 WEB

“ ”

2.3 WEB






2.4

2.4.1

	“ ” “ ”
	“ ” “ ”
	“ ”

2.4.2



2.5

“ ”


S2628G-S 硬件版本：1.00 CPU：0.20% 内存：73% 硬盘：18.90% 设备时间：2012-11-7 16:35:27 软件版本：RGOS 设备名称：ruijie


端口信息 流量走势 设备配置

输入端口号或端口描述进行查询 查询 ☒ 实时刷新流量

状态	连接状态	trunk口	操作	端口	描述	输入流量(bps)	输出流量(bps)	开启
开启	未连接	否	查看流量走势	2		OK	OK	
开启	未连接	否	查看流量走势	5		OK	OK	开
查看流量走势	3		OK	OK	开启	未连接	否	查
查看流量走势	7		OK	OK	开启	未连接	否	查
查看流量走势	3		OK	OK	开启	未连接	否	查
OK	开启	未连接	否	查看流量走势	3		OK	
OK	开启	未连接	否	查看流量走势	10		OK	

首页 上一页 [1] [2] [3] 下一页 尾页 1 / 3页

[illegible]



VLAN

“ VLAN ”



1. **Introduction**
 2. **Background**
 3. **Methodology**
 4. **Results**
 5. **Discussion**
 6. **Conclusion**
 7. **References**
 8. **Appendix**
 9. **Index**
 10. **Table of Contents**
 11. **Abstract**
 12. **Summary**
 13. **Key Words**
 14. **Keywords**
 15. **Subject**
 16. **Topic**
 17. **Field**
 18. **Area**
 19. **Discipline**
 20. **Department**
 21. **Faculty**
 22. **School**
 23. **College**
 24. **University**
 25. **Institution**
 26. **Organization**
 27. **Company**
 28. **Enterprise**
 29. **Business**
 30. **Industry**
 31. **Market**
 32. **Segment**
 33. **Niche**
 34. **Category**
 35. **Class**
 36. **Group**
 37. **Team**
 38. **Unit**
 39. **Division**
 40. **Section**
 41. **Department**
 42. **Faculty**
 43. **School**
 44. **College**
 45. **University**
 46. **Institution**
 47. **Organization**
 48. **Company**
 49. **Enterprise**
 50. **Business**
 51. **Industry**
 52. **Market**
 53. **Segment**
 54. **Niche**
 55. **Category**
 56. **Class**
 57. **Group**
 58. **Team**
 59. **Unit**
 60. **Division**
 61. **Section**
 62. **Department**
 63. **Faculty**
 64. **School**
 65. **College**
 66. **University**
 67. **Institution**
 68. **Organization**
 69. **Company**
 70. **Enterprise**
 71. **Business**
 72. **Industry**
 73. **Market**
 74. **Segment**
 75. **Niche**
 76. **Category**
 77. **Class**
 78. **Group**
 79. **Team**
 80. **Unit**
 81. **Division**
 82. **Section**
 83. **Department**
 84. **Faculty**
 85. **School**
 86. **College**
 87. **University**
 88. **Institution**
 89. **Organization**
 90. **Company**
 91. **Enterprise**
 92. **Business**
 93. **Industry**
 94. **Market**
 95. **Segment**
 96. **Niche**
 97. **Category**
 98. **Class**
 99. **Group**
 100. **Team**
 101. **Unit**
 102. **Division**
 103. **Section**
 104. **Department**
 105. **Faculty**
 106. **School**
 107. **College**
 108. **University**
 109. **Institution**
 110. **Organization**
 111. **Company**
 112. **Enterprise**
 113. **Business**
 114. **Industry**
 115. **Market**
 116. **Segment**
 117. **Niche**
 118. **Category**
 119. **Class**
 120. **Group**
 121. **Team**
 122. **Unit**
 123. **Division**
 124. **Section**
 125. **Department**
 126. **Faculty**
 127. **School**
 128. **College**
 129. **University**
 130. **Institution**
 131. **Organization**
 132. **Company**
 133. **Enterprise**
 134. **Business**
 135. **Industry**
 136. **Market**
 137. **Segment**
 138. **Niche**
 139. **Category**
 140. **Class**
 141. **Group**
 142. **Team**
 143. **Unit**
 144. **Division**
 145. **Section**
 146. **Department**
 147. **Faculty**
 148. **School**
 149. **College**
 150. **University**
 151. **Institution**
 152. **Organization**
 153. **Company**
 154. **Enterprise**
 155. **Business**
 156. **Industry**
 157. **Market**
 158. **Segment**
 159. **Niche**
 160. **Category**
 161. **Class**
 162. **Group**
 163. **Team**
 164. **Unit**
 165. **Division**
 166. **Section**
 167. **Department**
 168. **Faculty**
 169. **School**
 170. **College**
 171. **University**
 172. **Institution**
 173. **Organization**
 174. **Company**
 175. **Enterprise**
 176. **Business**
 177. **Industry**
 178. **Market**
 179. **Segment**
 180. **Niche**
 181. **Category**
 182. **Class**
 183. **Group**
 184. **Team**
 185. **Unit**
 186. **Division**
 187. **Section**
 188. **Department**
 189. **Faculty**
 190. **School**
 191. **College**
 192. **University**
 193. **Institution**
 194. **Organization**
 195. **Company**
 196. **Enterprise**
 197. **Business**
 198. **Industry**
 199. **Market**
 200. **Segment**
 201. **Niche**
 202. **Category**
 203. **Class**
 204. **Group**
 205. **Team**
 206. **Unit**
 207. **Division**
 208. **Section**
 209. **Department**
 210. **Faculty**
 211. **School**
 212. **College**
 213. **University**
 214. **Institution**
 215. **Organization**
 216. **Company**
 217. **Enterprise**
 218. **Business**
 219. **Industry**
 220. **Market**
 221. **Segment**
 222. **Niche**
 223. **Category**
 224. **Class**
 225. **Group**
 226. **Team**
 227. **Unit**
 228. **Division**
 229. **Section**
 230. **Department**
 231. **Faculty**
 232. **School**
 233. **College**
 234. **University**
 235. **Institution**
 236. **Organization**
 237. **Company**
 238. **Enterprise**
 239. **Business**
 240. **Industry**
 241. **Market**
 242. **Segment**
 243. **Niche**
 244. **Category**
 245. **Class**
 246. **Group**
 247. **Team**
 248. **Unit**
 249. **Division**
 250. **Section**
 251. **Department**
 252. **Faculty**
 253. **School**
 254. **College**
 255. **University**
 256. **Institution**
 257. **Organization**
 258. **Company**
 259. **Enterprise**
 260. **Business**
 261. **Industry**
 262. **Market**
 2

端口镜像

端口镜像

端口镜像

端口镜像

端口镜像

设备基本信息

设备名称: ruijie

默认网关: 192.168.23.1

DNS服务器:

管理IP: 192.168.23.73

子网掩码: 255.255.255.0

保存设置

端口和源端口，目的端口和源端口不能为同一个。

选择多个端口，源端口过多可能会影响设备性能

17 19 21 23

18 20 22 24 25 26 27 28

端口 聚合端口

全选 反选 取消选择

选择一个端口

17 19 21 23

2 4 6 8 10 12 14 16 18 20 22 24 25 26 27 28

可选端口 不可选端口 选中端口 聚合端口

保存编辑 刷新

端口镜像

注意: 已加入聚合口的端口不能作为目的

请选择源端口: (允许选

1 3 5 7 9 11 13 15

2 4 6 8 10 12 14 16

可选端口 不可选端口 选中

请选择目的端口: (只能选

1 3 5 7 9 11 13 15

操作

源端口

目的端口

上一页 [1] 下一页 尾页 1 / 1页

首页

上一步

完成



2.7

2.7.1

“ ”



“ ”

“ ”

端口描述批量配置

端口	端口描述（文本为空时可清空所有端口描述）
1	
2	~!@#¥3
3	
4	
5	
6	
7	
8	
9	
~0	
~1	
~2	

设置


“ ”

“ ”



2.7.2

“ ”



“ ” “ ”

I

Б



“ ”



2.7.4

“ ”

[illegible]

注意：防攻击开启后，根据端口类别的安全策略部署相关防御措施。

注意：防攻击开启后，根据端口类别的安全策略部署相关防御措施。

“ ”

“ ”


”

“ ”



2.7.5

“ ”






2.8 VLAN

2.8.1 VLAN


“ ” “ ” “ ”




“ ” “ ”

“ ”

“ ”






“ ”




“ ”

“ ” “ ”


“ ”



“ ”



“ ”





防ARP攻击防MAC攻击防DHCP攻击防DOS流量攻击

DOS攻击防护状态

说明：开启防DOS攻击功能，拦截Land攻击报文、非法TCP报文，确保设备或服务器主机向合法用户提供正常的服务。

已开启

流量攻击防护状态

说明：开启防流量攻击功能，拦截网络中产生的大量广播、组播或未知单播报文，确保网络不受影响。

已开启



开启时会根据 端口分类 页面的配置，对设置了“风暴抑制比”的端口开启防流量攻击。



端口类别	风暴抑制比	端口
连接交换机或路由器端口	51 %	
连接服务器端口	30 %	
连接重要服务器端口	不抑制	0.10
连接普通端口	30 %	1-8,13-24,Ag11,Ag23
5555555555	30 %	

1 / 1页

首页 上一页 [1] 下一页 尾页 1

2.9.2





2.9.3

“ ”

系统信息

系统基本信息

说明：系统基本信息的配置与查看。

管理VLAN：1

设备MAC：001aa9c53ffb

管理IP：192.168.23.73

设备名称：23锐捷73

掩码：255.255.255.0

设备位置：

默认网关：192.168.23.1

联系人：

DNS服务器：192.168.58.110

联系方式：

保存



取消




2.10.2

“ ” “ ” “ ” “ ”

■






“ ” “ ” “ ”



2.10.4

“ ”



“ ”



1u 9 }fÁ-æXì+

修改密码

修改超级用户密码

提示： 如果您设置了新的Web登录密码，则在设置之后使用新密码重新登录。密码不能含有中文、全角字符、问号和空格。

旧密码：

新密码：

确认新密码：

保存修改

清 空

修改telnet登录密码

新密码：

确认新密码：

保存修改

清 空



2.10.7

“ ”

管理员权限

说明：本页面添加的设备用户可以登录Web管理系统对设备进行日常维护。

用户名：

密码：

确认密码：

添加用户

用户列表

用户名	操作
admin	
manager	
guest	
tt	 
11	 



WEB CLI

说明：

1. 命令初始模式为exec模式
2. 命令输入窗口支持Tab键和?号自动提醒。

CLI 输出：

```
ruijie#show vlan
VLAN Name        Status   Ports
-----
 1 VLAN0001      STATIC  Fa0/1, Fa0/2, Fa0/3, Fa0/4
                               Fa0/5, Fa0/6, Fa0/7, Fa0/8
                               Fa0/9, Fa0/10, Fa0/11, Fa0/12
                               Fa0/13, Fa0/14, Fa0/15, Fa0/16
                               Fa0/17, Fa0/18, Fa0/19, Fa0/20
                               Fa0/23, Fa0/24, Gi0/25, Gi0/26
                               Gi0/27, Gi0/28, Ag2
```

ruijie#

输入命令：

show web

web-server

返回(Ctrl+Q/Enter)

清除命令

清除

“ ”

2.11 WEB

```
Ruijie#configure
Enter configuration commands, one per line.  End with CNTL/Z.
```

```
Ruijie(config)#enable service web-server
```

```
Ruijie(config)# webmaster level 0 username admin password admin
```

```
Ruijie(config)#interface vlan 1
Ruijie(config-if-VLAN 1)#ip address 192.168.1.200 255.255.255.0
```



privilege-level *name* *password*

no webmaster level *privilege-level* **username**

<i>privilege-level</i>	
<i>name</i>	
<i>password</i>	
0 7	
<i>encrypted-password</i>	

```
Ruijie(config)#show running-config
Building configuration...
Current configuration : 6312 bytes

!
version RGOS 10.4(3b16) Release(82376)(Fri Nov  2 13:55:16      2012 -R03912)
hostname ruijie
!
!
webmaster level 0 username admin password 7 08022b181b29      //WEB
webmaster level 1 username manager password 7 06073f
webmaster level 2 username guest password 7 14155f083206
http update mode auto-detect
!

interface VLAN 1
```
