



RG-AP220-SI

V1.13

©2000-2013



” <http://www.ruijie.com.cn/>

” <http://webchat.ruijie.com.cn>

8:30 6 “ ”

” <http://www.ruijie.com.cn/service.aspx>

” 7 × 24 4008-111-000

” <http://support.ruijie.com.cn>

” service@ruijie.com.cn

WEB	WEB

1 C | O ”

RG-AP220-SI	AP220-SI	AP220-SI
AP Fat AP	AP Fit AP	/


1.1 RG-AP220-SI

P á ? d

	RG-AP220-SI
--	-------------

RG-AP220-SI 1 1

1-1 RG-AP220-SI



1-2 RG-AP220-SI

Ce

	Status		AP
			AP
			AP
			AP
2.4G	2.4G		2.4G
			2.4G
			2.4G
	Ethernet		link down
			link up
			/ link up
			/

1-3 RG-AP220-SI


1 1000BASE-T/100BASE-TX/10BASE-T	PoE	2 Console
----------------------------------	-----	-----------

1-4 RG-AP220-SI

3 C | é G

È ò ½, < • ... g ` • Ñ • ò • Ñ N í ‘ Ð, < d

3.1 G W 8



3.2 G ø \

”

"

"

"

"


"

"

3.3 G 2

1) 4 91 × 65mm


3-1



2)

3) 3-2

3-2



- 4) AP RJ45 .
- 5) AP 4 AP 3-4
- 3-3

AP

3-4

4 x ž • p

4.1 @ Ž ´ ° Ê

PoE AP

4.2 Ô n

Ô ø é ó Ó

”

Ô d é ó Ó

”	AP	Status	30	Status
”	2.4G			
”	AP	Ethernet	1000M	Ethernet
	100M/10M	Ethernet	link	Ethernet
	Ethernet			

5 C|éñ0x¢õ

5.1 ñ0 ×

AP

Status

5.2 â8¢õ

AP

AP

AP


AP

AP

AC

6 G é n N \ m Ó Â

6.1 G \ m - Ó ù Ð W 8




\ ¢A ä / — x ä / O ” y f

1000BASE-T/100BASE-TX/10BASE-T O L

1000BASE-T/100BASE-TX/10BASE-T MDI/MDIX Crossover

1000BASE-T IEEE 802.3ab 100-ohm 5 UTP STP
STP 100
1000BASE-T 4 4 1000BASE-T
A-1
A-1 1000BASE-T



100BASE-TX/10BASE-T 100-ohm 5 100 10Mbps 100-ohm 3 4 5 100Mbps
100BASE-TX/10BASE-T
A-2
A-2 100BASE-TX/10BASE-T

Pin		
1	Input Receive Data+	Output Transmit Data+
2	Input Receive Data-	Output Transmit Data-
3	Output Transmit Data+	Input Receive Data+
6	Output Transmit Data-	Input Receive Data-
4 5 7 8	Not Used	Not Used

100BASE-TX/10BASE-T A-3

A-3 100BASE-TX/10BASE-T

