

RG-AP220-SH

V1.20

<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

8:30 6

<http://www.ruijie.com.cn/service.aspx>

7 24

4008-111-000

<http://support.ruijie.com.cn>

service@ruijie.com.cn

WEB	WEB



“ ”

“ ”

“ ”

“ ”

” ”

“ ”

A“ ”

B“ ”

		AC 90-264V/50-60Hz
		DC 48V/0.4Amax
	PoE	802.3af PoE
		9.5W
		802.11b 802.11g 802.11n 2.4000GHz-2.4835GHz
		500mW [E] [E]

2

2.1

AP

Γ AP

2.2 AP

AP

RG-AP220-SH

AP

AP

SMA

3

AP

2-4

2.3

1	4.10/100/1000Base-T
2.Console	5.
3. LED	6.

AP

AP

2-6

1.Radio1 LED	3.Radio2 LED
2.Status LED	

--	--	--	--

1/2*	Radio1/2*		2.4G
			2.4G
			5G
			5G
*	Power*		
LED	C		Link
			1000M Link Up
			1000M
			100/10M Link Up
			100/10M

" 2" RG-AP220-E V1.x RG-AP220-E V2.x

" " RG-AP220-SH V1.X RG-AP220-SH V2.X

2.4

PoE

802.11af

AP

1)

2) AP

3) AP

4) AP

Status

Status

Status

1

Status

Radio

Status	Radio	AP	AC
CAPWAP	AC		
RG-AP220-E V2.0	RG-AP220-SH V1.X	RG-AP220-SH V2.X	
