

RG - MAP552- W

V1.05

<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

<http://www.ruijie.com.cn/service.aspx>

7y 24

4008-111-000

<http://bbs.ruijie.com.cn/portal.php>

1

1.1

RG-MAP552-W


24 10 802.11ac 5 AM 24 10 Radio
600M

RG-MAP552-W

1.2

1.2.1 RG-MAP552-W

	RG-MAP552-W
	802.11b/g/n 802.11a/n/ac
	802.11b/g/n 2.4G ~ 2.4835GHz 802.11a/n/ac 5G 5.150 5.350GHz 5.47 5.725 5.725 5.850GHz (
	2
	2.4G 300Mbps 5G 867Mbps 1.167Gbps
	OFDM BPSK@6/9Mbps QPSK@12/18Mbps 16-QAM@24Mbps 64-QAM@48/54Mbps DSSS DBPSK@1Mbps DQPSK@2Mbps and CCK@5.5/11Mbps MIMO-OFDM BPSK QPSK 16QAM 64QAM and 256QAM
	20dBm
	1dBm
	SPI Flash 16Mbit NAND Flash 1Gbit DDR2 1Gbit
	116mmy 86mmy 39mm x x
	0.3kg()
	1 10/100/1000Base-T 4 10/100Base-T 1 PassThrough 1 microusb console
	AP 5D
	=D%
	-10v C 45v C -40v C 70v C 5 95 5 95



AM

PoE/Uplink

AM

1.3RG-MAP552-W

RG-MAP552-W

AP

Led

1 LED

AP

2

2.1

F; ! A5D) & K

F; ! A5D) & K



2.2

AP

500m

2.3

-10 45
-40 70
5% 95%

2.4

RG-MAP552-W

2-1

21

μm	0.5	1	3	5
(/)	1.4×10^7	7×10^5	2.4×10^5	1.3×10^5

2-2

22

	mg/m ³	mg/m ³
SO ₂	0.2	1.5
H ₂ S	0.006	0.03
NO ₂	0.04	0.15
NH ₃	0.05	0.15
Cl ₂	0.01	0.3

2.5EMI

3




3.1




3.2

AP



第五步：安装完成后如图所示。



5


5.1

AP

2.5Hz AP

6

6.1



6.2

1

2

LED AP @AP

AP

AP

RG-MAP552-W

A —

1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T				MDI/MDIX Crossover	
1000BASE-T	IEEE 802.3ab		100-ohm	5	UTP
STP	STP	100	1000BASE-T	4	
4	1000BASE-T		A-1		
A- 1 1000BASE-T					

设备	接口	连接	设备	接口	连接
交换机 (Switch)	1 IRD+	1 IRD+	交换机 (Switch)	1 OTD+	1 IRD+
	2 IRD-	2 IRD-		2 OTD-	2 IRD-
	3 OTD+	3 OTD+		3 IRD+	3 OTD+
	6 OTD-	6 OTD-		6 IRD-	6 OTD-