

# RG - AP520(HD)

V1.0



<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

<http://www.ruijie.com.cn/service.aspx>

7y 24

4008-111-000

<http://bbs.ruijie.com.cn/portal.php>

<http://www.ruijie.com.cn/service/know.aspx>

[4008111000@ruijie.com.cn](mailto:4008111000@ruijie.com.cn)

---

---

# 1

RG-AP520(HD)				802.11ac wave2		AP
RG-AP520(HD)				802.11a/n/ac	802.11b/g/n	300Mbps
802.11n	866Mbps	802.11ac	RG-AP520(HD)	1	1000Mbps	RJ-45

## 1.1

### 1.1.1 RG-AP520(HD)

RG-AP520(HD)

(Ly Wy H)	160mm *135 mm *40mm
	1 WAN/POE
	3dBi
	100mw 20dBm
	1dBm
	802.3af/802.3at
	<8W
	-30~60
	5~95%RH
	0.6kg
Flash	256Mb
	IP67

## 2 RG-AP520(HD)

### 2.1

RG-AP520(HD)

”

”

”

”

”

---

a

A

---

### 2.2

#### 2.2.1

”

”

”

### 2.3

1)

2)

3)



### 3 RG-AP520 HD

#### 3.1 RG-AP520 HD

#### 3.2

2cm

6

2.5cm

/

/

∅ 9X25.4mm

### 3.3



# 4

## 4.1

```

RG-AP520(HD)                                radio1    WIFI-XXXXXX(XXXXXX)  ap mac
)                IP 192.168.120.1            IP 192.168.120.2      255.255.255.0

Telnet                SSID
    
```

"

a

-

## RG-AP520 HD

%	F; !5D &\$ <8	%	.	.
&	F>()	%	.	.
(		%	.	.
)	žGH" &L&S	(	.	.
*	ž žD - L& " (aa	(	.	.
+	ž5D+(\$ ž%&I%")I*flaL	%#%&	.	% .