



User's Manual

©)'' '\$)' (6

	1
PH	î
P	î
Q	õ
Q	õ
Q	ñ
Q	ò
Q	ò
Q	ó
Q	ó
Q	ø
Q	ô
44Q	õ
Q	10
Q	1í
Q	1í
QB	1í
Q	1ï
Q	1ñ
Q	16

I > \$ X'e) ' ' C

8I D : frk\o\$

(' /' G

D Xc\$+' ' >GL

I > \$ X'e) ' ' C

(



RG-RCD

RG-Rai



1 I > \$ X'e) ' ' C

(I > \$ X`e) ' ' C

((
)	ž ž	(
*		(
+		(
,		(
-		(

C

	C
	户端



■

■

LJ9(&LJ9) &LJ9*&LJ9

■

■

■

住此小孔中的按键，同时按下Power

恢复界面；

■

■

() M_F***% , 8

I > \$ X'e)'' C

± I > \$ X'e)'' C (' Zd

± I > \$ X'e)'' C

' °: +' °:

\$(' °: , ' °: (' % 0' % , %
0, % +/ (,

± I > \$ X'e)'' C

3

RG-Rain200C

1. RG-Rain200C
- 2.
3. RG-Rain200C power

1.

2.


1.

2.

开

100-240VAC 50/60HZ

Power



-3.5° 15°

Gf n \r

(%

l : ; @

/

J A&K ((* - + \$) ' (+


n 4 iH à iD } Ä Ò Å m O Ù Á^a ç n

B ^ df	Ä Ò Å					
	g h	?Ä g.M h	eŠ (g) J h	'_e> (g) X g < / h h	ÚÀì û 5 g 6 (h	ÚÀì 8 5b g 6 * + h
Ù Ó	Q	Q	Q	Q	Q	Q
@ à † " P I °		Q	Q	Q	Q	Q
Ł Æ ` ^ !		Q	Q	Q	Q	Q
F		Q	Q	Q	Q	Q
¿ N ¿		Q	Q	Q	Q	Q
'ä O		Q	Q	Q	Q	Q

Î n % G 9 0 : • Ú ò ož
 Q y n P ÷ Ä Ò Å " ÷ B ^ ñ Ä ® Ä Õ % m O ® " GB : 26572
 • ' O } L Y ož
 ~ y n P ÷ Ä Ò Å 5 " ÷ B ^ î % ^ 2 ® Ä Õ % m O Ý ß
 GB : 26572 • ' O } L ož

h y

Î n^a P i H à i Ä ' , [^ • î ° Z D } U m ? Ò
 Å k ? Ä Ò Å B ^ œ ¶ ñ Đ G J J u ' ò ò — c ë
 Ä Ò Å Á W k x ? ' Î U š 5 Đ G J ò • ¾ • ož
 ÿ G ° Z c U ¶ m Ä Y ñ Ä B ^ k - Y Ž Æ 1 Ñ ° Õ ož
 Î n B ^ # † K Ó ; K i H à i Ä ' , [ož



4 * 0 4

D } ü g ö Ö y 7 0 2 * @