RG-NBS200&2000

V1.1

copyright © 2017

Ruijie 锐捷网络 Ruijie 锐捷网络

锐捷网络 Ruijie RGOS® RGNOS®

-
-

1

■

Ā Ā ī ǒ ǎ

1.1 RG-NBS210F-E RG-NBS210F-S

	¢ ç ǵ ǹ ǁ ǐ ž ǒ

	■ ■ ■ 12V⎓


Ruijie 睿易
RG-NBS210F-E


Ruijie 睿易
RG-NBS210F-S
Console
Status
Power
Managed Switch Series


Ruijie 睿易
RG-NBS210F-E
Console
Power
Managed Switch Series

Ruijie
1
2
3
5
6
8
9

1.2 RG-NBS210F-E-P

	■

PoE
Managed Switch Series

1
6
9
Ruijie 睿易
RG-NBS2100F-E-P
Console
2
3
4
5
7
8
10



1.3 RG-NBS2010G-E RG-NBS2010G-S

Ruijie 睿易
RG-NBS2010G-E


Ruijie 睿易
RG-NBS2010G-S
Console
Status
Power


Ruijie 睿易
RG-NBS2010G-E
Console
Status
Power


Ruijie 睿易
RG-NBS2010G-S
1
2
3
4
5
6
7
8


1
2

1.4 RG-NBS2010G-E-P

	■



´A”!° šÓM3„d»äd0

	■

ᾗ ¢ ᾗ ᾗ ᾗ






Ruijie 睿易
Console



1.6 RG-NBS228F-E-LP




Ruijie 睿易
RG-NBS228F-E-LP
2
3
4
5
8
10


出风

1.7 RG-NBS228F-E-P


出风

1.8 RG-NBS2028G-E RG-NBS2028G-S

¢	ᶻ ᶫ ᶿ	– ᶺ ᶹ	ᶿ	› ᶹ ᶹ	¡	
				¢	ᶻ	ᶫ ᶻ ᶾ
ᶾ	ᶺ	ᶻ	5	″	– ᶹ	°	–	ᶾ
¢	ᶾ	ᶻ ᶹ ᶹ				

Ruijie 睿易



1.9 RG-NBS2028G-E-LP

	■


进风
进风
出风

1.10 RG-NBS2028G-E-P




2
3
4
5
8
10

2

2.1

2.1.1

- [illegible]
- [illegible]
- [illegible]
- [illegible]

2.1.2

- [illegible]
- [illegible]
- [illegible]

2.1.3

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible]

Ĭ Ţ ą Ţ ĬŠ ą Ţ ą Ţ Ī Ţ ą ţ ţ ą Ţ ą Ţ Ī Ţ ą Ţ ą Ţ ō₁ ą Ţ ą ţ ą Ţ Ī Ţ ą ţ ą Ţ Ī Ţ ą Ţ ą Ţ Ī Ţ ą Ţ ĭ ō Ţ ≤ Ţ ą Ī Ţ ą ţ ą Ţ ą Ţ ~ Ţ ĵ ą Ţ Ī Š ą Ţ ą Ţ - ₀ Š ţ

2.1.4

-
-
-

2.1.5

-

2.2.2

-

-

-

Ù – Ş

Ù – ¡ ˘ ̈H ˇ ̈H ت ̈I ˘ ╟



2.2.6

| | | |

3

3.1



3.2

-
-
-
-

3.3 RG-NBS200&2000

-
-
-
-
-
-

3.3.1









3.3.2









3.3.3



3.4

`	ٌث 5	ٌO	¢ -

-
-
-
-

4

4.1



-
-
-
-


位置信息
在您做任何电话或调制解调器连接之前，Windows 需要知道关于您当前位置的信息。
目前所在的国家(地区)(W):
中华人民共和国
您拨外线需要先拨哪个号码(O)?
确定
取消

新建连接
入名称并为该连接选择图标:
称(N):
nijie
标(I):
取消

ruijie
输入待拨电话的详细信息:
国家(地区)(C):
区号(E):
COM1
确定
取消




ruijie - 超级终端
文件(F) 编辑(E) 查看(V) 呼叫(C) 传送(T) 帮助(H)
自动检测
SCROLL
CAPS
NUM
已连接 0:01:21 自动检测

4.2

-
-
-
-

5

A ——

1000BASE-T/100BASE-TX/10BASE-T



	Switch	**Switch**	**Switch**	**Switch**

B ——Mini-GBIC

B-1 Mini-GBIC SFP

B-2 SFP

B-3 SFP

B-8 BIDI

C ——

¢	H\	╒	Z I_	Ḥ_	₹

-
-
-


室内连接网线
连接到户外的网线
网口避雷器(贴在
机壳
避雷器接地线
电源输入
交换机的接地端子
安装交换机的金属箱

| | | |

D ——

-
-
-
-
-
-
-
-



-
-
-
-
-



-



-
-
-
-


平垫 螺母

■