

RG-11B-K75A/K86A

V1.20






2019-11-18	V1.00	Δ	↔ 1
2019-12-25	V1.10		



ǎ





RG-11B-K75A/K86A 75 86

W 4K

↓

↓

↓



9

10

11

12



4°



ǎ

ǝ N	UJOLLEON:8D	UJOLLEON;9D
ǎ ~ v"Q		
ǎ ~ ò ǐ	:8 ǐ ǐ	;9 ǐ ǐ
ǎ ~ %æ	49:<	49:<
ǎ ~ ,	6;73[5493	6;73[5493
ǎ ~ ǝ ǎ	783fg2	733 fg2
ǎ ~ ǎ A '	93K}	93K}
ǎ ~ ǎ	4:;~24:;~	4:;~24:;~
PWEI	^533333 ǎ`H	^533333 ǎ`H
ǎ ó ǎ		
ǎ ǎ`Y	ǎ ǎ ǎ 53 ǎ ǎ ǎ ǎ	



i Æ v "Ω		
32 , 4 Æ	WY{4	WY{4
	DYÖ4	DYÖ4
	YJDÖ4	YJDÖ4
	SF0DxgIrl0lqÖ4	SF0DxgIrl0lqÖ4
	KGPLÖ&´ J KGPL4!7{4 1ª J KGPL5!3{5 Z	KGPLÖ&´ J KGPL4!7{4 1ª J KGPL5!3{5 Z
	\SeSuÖ4	\SeSuÖ4
	Ĝ c 0XVEÖ9 ε XVE5!3 Z	Ĝ c 0XVEÖ9 ε XVE5!3 Z
	ᵛ Ū 0XVE6!3Ö7	ᵛ Ū 0XVE6!3Ö7
	WRXFK0XVE{5	WRXFK0XVE{5
	DYÖ4	DYÖ4
	KGPLÖ4	KGPLÖ4



0CHÖ4

V0SGLIÖ4

DXGLR0RXWÖ4

DXGLR0RXWÖ4

0DQÖ5

0DQÖ5

Ÿ Æ

ZIII

ZIII

UV565Ö4

UV565Ö4

RSV0F ì Æ

RSV0F{4

RSV0F{4

Ÿ Ÿ

l '

5Ö48 Z

5Ö48 Z

Ɔ Ɔ

Ÿ Ɔ Ÿ

433 Y ¢ 573 Y2DF/ 83293 K}

433 Y ¢ 573 Y2DF/ 83293 K}

Ÿ Ɔ l ãε j Ÿ

RSV5

敏 **锐** 把握应用趋势 • 快 **捷** 满足客户需求



ø 1		
ø 1 +Z-G-K,	4:741: p p {43617 p p {439315 p p	4<<815 p p {4441< p p {453916 p p
γ ø 1 +Z-K-G,	4; ;3 p p {5;3 p p {4493 p p	5473 p p {5;3 p p {4673 p p
′	8<14 ° 418NJ	: 919 ° 418NJ
ó	: :19NJ ° 418NJ	97.0KG ± 1.5KG

UJ0LLE0N;8D	Г ЫĂ Ů İ W— :8 Ъ І 7N Ы~ і ^ Ƣ ƣ Ƣ ƣ ƣ İ Ĥ'Y 53 Ƣ і İ53 Ƴ Ƴ̃ Ǝ j g RSV Ƴ ƣ ζ	Ƣ
UJ0LLE0N;9D	Г ЫĂ Ů İ W— ;9 Ъ І 7N Ы~ і ^ Ƣ ƣ Ƣ ƣ ƣ İ Ĥ'Y 53 Ƣ і İ53 Ƴ Ƴ̃ Ǝ j g RSV Ƴ ƣ ζ	Ƣ
UJ0ErduгPdwh0K	Ƣ Ƴ Ƣ Ƣ — Ƣ Ƴ Ƴ ^ Ƣ ƣ Ƣ ƣ İ Ƣ k ^ Ƴ Ƣ ƣ Ƣ	
UJ0ErduгPdwh0E	Ƣ Ǻ Ƣ Ƣ — Ƣ İ ǻ ǻ " Ƣ ^ ƣ Ƴ Ĥ Ƴ İ Ƣ Ƴ " Ƣ ^ Ƴ Ƣ ƣ Ƣ	
UJ0RSV0Y0I8Y4	Lqwh0 %' RSV0F İ Ǝ İ ǻ ǻ Ƣ ǻ İ Ъ Ƴ Ƣ Ƣ İ8 Ƴ Ƣ "2;J Ƣ è2589J VWG	
UJ0RSV0Y0I8Y5	Lqwh0 %' RSV0F İ Ǝ İ ǻ ǻ Ƣ ǻ İ LGY;: Ƴ Ƴ İ Ъ Ƴ Ƣ Ƣ İ8 Ƴ Ƣ "2;J Ƣ è 2589J VWG	
UJ0RSV0Y0I:Y4	Lqwh0 %' RSV0F İ Ǝ İ ǻ ǻ Ƣ ǻ İ Ъ Ƴ Ƣ Ƣ İ: Ƴ Ƣ "2;J Ƣ è2589J VWG	