

INTERNET ROUTING



锐捷网络健康检查



网络体验



实时监控



状态对比



一键收集



上传云端



意见建议



关于帮助

Ruijie锐捷
Networks

中国网络解决次序第一品牌



登录云端



系统评估



网络健康




文件评估



微信扫一扫，加入锐捷网络中心，获取最新资讯和成功案例

成功连接至云端 ver: 2.0



2 网络设备性能检查

2.1 检查情况总览

序号	设备名称	分类	数值
01.	RSR7708	评估总条目数	42
		无风险条目数	29
		有问题条目数	0
		有风险条目数	12
		需确认条目数	1

2.2 有问题条目明细

序号	问题类型	问题详情	优化建议	优化落实
-	-	-	-	-

2.3 有风险条目明细

序号	问题类型	问题详情	优化建议	优化落实
1.	实现质量检查 拓补配置类	软件版本与百维等版本	建议您升级到最新的全行业普遍推荐版本。	
2.	实现质量检查 拓补配置类	接口配置 secondary IP 地址, 未关闭 ip 重定向。	配置二级 IP 地址接口, 需要关闭 IP 重定向。no ip redirects。	
3.	实现质量检查 拓补配置类	部分接口有错误报文统计。	dropped 为 50000, 无二次 show 信息确认错误统计是否影响业务。	



选定设备评估 批量录入评估

*地址: 17:

其他版本 V1.4

备注信息

新增支持以下特性:

1. 规则库检查条目翻倍
2. 增加H客户巡检管理模块
3. 界面风格全新改版更易操作
4. 信息收集和分析过程完全可视化
5. 增加所有检查项巡检结果查询
6. 提供详细可执行的风险项处理建议
7. 新增支持白网路由型产品

配套文件

	日期	文件名称	文件内容
	重要由请	29:06	 锐捷网络健康检查平台V2.0.zip
界面不同原理相同	开放下载	32:49	 锐捷网络健康检查平台使用指南.doc 提供v1.1版本操作说明,
视频, 界面不同原理相同	开放下载	33:47	 锐捷健康检查工具使用方法视频讲解.wmv 提供v1.1版本操作视频


```
Ruijie#show cpu-protect mboard
%cpu port bandwidth: 100000(pps)
```

Tran	c-class	Bandwidth(pps)	Rate(pps)	Drop(pps)
0	不同队列	20000	0	0
1		20000	0	0
2		20000	0	0
3		20000	0	0
4		20000	0	0
5		20000	0	0
6		20000	0	0
7		20000	0	0

累计丢弃报文数 设定的默认速率限制 当前速率 丢弃速率

The interface displays a list of captured packets with columns for time, length, source, destination, protocol, and interface. A protocol distribution chart on the right shows the following data:

Protocol	Count
aclu	5
arp	1
udp	6
loaix	2
icmp	5
rip	5
ospf	5
tcp	5
ip	5

不同协议报文

INTERNET CONNECTION





Ruino

12/10/2014 10:00:00 AM

INTERNET ROUTING



