



AP630-L

V2.0

www.ruijie.com.cn

AP630-L

RG-AP630-L

802.11ac Wave2

AP

1.167Gbps

RG-AP630-L

RG-WS

RG-AP630-L

IP68

RG-AP630-L

Wi-Fi

RG-AP630-L

Wi-Fi

RG-AP630-L

AP630-L

RG-AP630-L

✓ RG-AP630-L

✓ 6KV

AP630-L



- 1 Console RJ45 ;
- 2 5G 1;
- 3 5G 2;
- 4 2.4G 1;
- 5 2.4G 2;
- 6 10/100/1000Base-T
ETH1 /PoE IN RJ-45 ;


➤ 2.4G 5G 2
1

➤ 2.4G 5G

➤ 2.4G 5G
2.4G-1 5G-1
1 , MCS

11n 7,11ac 9

	RG-AP630-L		
(L× W× H)	250mm× 170mm× 50mm		
	2.4G	300Mbps	5G
	867Mbps		
	802.11b/g/n: 2.4GHz-2.483GHz; 802.11ac/a/n: 5.15GHz-5.85GHz		
	27dBm		
	1	10/100/1000Base-T	PoE
PoE		802.3af/802.3at	
	<12.95W		
	-40 ~+55 •		



RG-AP630-L V1.00

1

SYS

,

SYS			AP
			AP

AP630-L V1.00 V2.00

1.RG-AP630-L V1.00 V2.00

2.RG-AP630-L V2.00

3.RG-AP630-L V1.00 V2.00

RG-AP630-L V1.00 V2.00



--- ()
/ / /

✓

4

50mm

✓

5

AP

5-10m

5-10°

3-4

10-15°

AP

AP

AP

AP

AP

AP

✓

AP630



AP630

AP

	1 11	1 11 6
	4	20
90	1.5	6
	0.8	2
120	0.5	4

AP630-L

AP630-L

AP630-L


AP630-L

AP630-L

AP630-L


AP630-L

---WDS 1



✓	AP630-L	AP630	MR620	
		AP630-A		
✓	1	AP630-L	1 16	1
	10			
✓				+
		5G		2.4G
		+		
✓				
		-70db	RSSI	25
✓	1			
			150	
	200			
✓	1			

---WDS



✓ AP630-L

AP 5 AP 10
5G 2.4G
+
-70db RSSI 25

✓

✓

✓

✓



AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP interface Dot11radio 1/0
external-antenna enable

AP ap-config xxx
external-antenna enable radio 1

```
interface Dot11radio 1/0
```

2

AP interface Dot11radio 1/0
no external-antenna enable

AP ap-config xxx
no external-antenna enable radio 1

```
!  
ap-config ap630-123  
  ap-mac 5869.6c1a.296b  
  ap-group ap630  
  location 19#4F_3bu(2)_fangjian  
  country US radio 2  
  external-antenna enable radio 1  
  external-antenna enable radio 2  
  chan-width 80 radio 2  
  antenna receive 3 radio 1  
  antenna receive 3 radio 2  
  antenna transmit 3 radio 1  
  antenna transmit 3 radio 2  
!
```

AP630-L
radio

AP

radio

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L



:

OT
OT

25



:

1

AP

2

PG

3

AP POE IN

4

PG

□ AP



30cm

□ AP630-L

6KV



□ RG-AP630-L

6KV



AP



✓ AP

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L

AP630-L



1

2

3



29

A 11

100036

Office Tel: 010-51718888 Mobile Tel: 13888888888 Fax: 010-51718888

www.ruijie.com.cn E-Mail: xxx@ruijie.com.cn