





```

#show ap status
AP Name: temp/2
AP Type: 100
AP Mode: 1
AP State: 1
AP Power: 100
AP Mode: 1
AP State: 1
AP Power: 100
AP Mode: 1
AP State: 1
AP Power: 100

```

```

Online AP number: 33
Offline AP number: 156

```

AP ID	AP Name	IP Address	MAC Address	Radio	Power	Mode	State	Uptime
19	temp/2	192.168.1.19	0800-0000-0000	1	100	1	1	0:16:53:19

第三频

```

WS18000-1B11#show ac-config client | in mu

```

```

===== show sta status =====

```

```

AP : ap name/radio id

```

```

State: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

```

```

Total sta Num: 39

```

STA MAC	IPV4 Address	AP	wlan vlan status	Asso-Auth	Net Auth	Up time
F48b.32a3.04e3		temp/2	6 1731 9.0M/E/ac/R/mu	MAB	WEB	0:20:37:33

```

WS18000-1B11#

```

mu终端



|||

Ruino







