

RG-MF2920U

MF2920U_1.0(1)B2 WEB

copyright © 2022



-
-
-


- <http://www.ruijie.com.cn>
- <http://www.ruijie.com.cn/fw/>
- 7*24h <http://ocs.ruijie.com.cn>
- 7*24h 4008-111-000
- -- <http://www.ruijie.com.cn/special/fw/tool/xryf/>
- 4008111000@ruijie.com.cn


APP

1.

<>		< >
[]		" " []
>>		[]>>[]
" "		"

2.







/

3.

1 WEB

1.1



1.2

WEB	WEB


1.2.1 WEB





- (1) WEB PC
- (2) Google chrome 360 qq edge
WEB
- (3) 1600*900 1920*1080

1.3 WEB

1.3.1








1.

WEB



2.

WEB

1.3.3

1.



/

/


MAC

PoE

/




b





< >

< >



(2) IP

a



b OUI



C

< >

Voice VLAN

1.3.5

1.

(1) Ping


[Ping]

IP

<

>

(2)



_20220118182247.txt

2.

(1)

< > 1





(2)



•

•

2~3



(3) Boot



Boot





< >

(2)



- 2-3
- < > config.json


- < >
- < > config.json

1.3.6

1.

(1)

[



2 CLI




CLI

2.1

" Ruijie(diag)>"

WEB

CLI



exit

2.2

CLI

reboot

```
Ruijie(diag)#reboot
BootVersion: ROBO OS 2.0.9
Build:wed Dec 22 11:27:42 2021
Root loader: 0581 flash Model: winbond size: 128 Mbit
[Progress bars and status indicators follow]
```

2.3

show_sys_info

2-1 show_sys_info

System description	

2.6 Ping

ping

ping *ip address*