

Ø W

ǎ

î æ ǫ

z ǎVid

z Ð ‘ K

z à

ǎ


z iHǎ <http://www.ruijie.com.cn>

z iHǎǎ


А	P-Py 500Vz P-Shelly 1500V	
В	100N	
Г	176N Max.	

1. Ø 450

R




2. d 450



3. Ø R g

d



z x₀•/2%k

ož

z xyg₀₀y

ož

3 cē

ē j.ūv.

kēñ.


đ Ā F D

›

ēē

ē

¢ 3-1 ēē



(3) ... 6 M4x8X $\overline{\text{A}}$ 1 2 L^o ě ě ož

¢ 3-2 L Ě ě ¢

3.5 Ě ě G



*4E H@N8)G ě Z Ľ P

>

x 5â ò y

(1) ě. Y 1 ě ě z

(2) x ě ě ož

¢ 3-3 Ě G ě ¢

3.6

x5â ò y


(1) @ 100

9~10mmz

(2) + Rô k 1° 0E %Nμ 0 + M k w ... %r-
MY z

(3) x 0 7Q k° 0E z

¢ 3-4 00 G i ¢




3.7 0

5â ò y


(1) G0 NM DP-IN10•DP-IN2Mz

(2) 1 DB78N000 DP-INM000 k g
- DB78N0ž



(3) 1 DB78N000 DB78NM DP-OUTM000 k g-
DB78N0ž

¢ ¢



- | | | | | | |
|-----|----|----|---------|------------------|-----|
| (1) | ò | z | /R¿ | PC-2DP48DC-E301G | Ng- |
| (2) | ò | è | ©k | ÑÑ | z |
| (3) | òQ | W° | Œ | Ø¿ | GŸ |
| (4) | ò | Eă | DB78NCP | Ñ | + |
| | T | Pa | ož | NM | Œ |

4 mě

4.1 mě

4.2 mě

m 1u mě

ě

° ě měkě PDě DPBOXě AP6P° I ož

oě-

g 1h DB78Nč ě DP-INNMNČ z

g 2h DB78Nč Ň DP-OUTNMNČ

g 3h

g 4h PSEě DPBOXLč ě

ě z 3 DPBOX6P° Q lk áP ° ě ě z

g 5h PSEě N DPBOXk Lč ě ž z 3 DPBOX

6P° Q lk áPě ě ě z ož

